

Modifying Fencing

Reference Number: **KB-01204**

Last Modified: **July 16, 2015**

The information in this article applies to:



QUESTION




How can I adjust my Fencing so that it is no longer the default white picket fence style?



ANSWER


Modifying the Fencing is easy to accomplish in Home Designer by applying Fencing Panels.

To creating fencing

1. In floor plan view, select **Build > Fencing > Straight Fencing** , and then click and drag to create a segment of fence.
2. Next, using the **Select Objects**  tool, select your newly placed fence, and click on the **Open Object**  edit tool.
3. On the Newels/Balusters panel, under **Panels**, click on the **Library** button to display the **Select Library Object** dialog.
4. Navigate to an appropriate fencing style, select it, and click on the **OK** button to see it displayed as a preview in the dialog.


For the purposes of this example, we used the *Basket Weave* fence style from the library content.


5. Specify a **Railing Height**, **Newels/Posts Height**, **Offset**, and the **Spacing**, then click **OK**.




6. Finally, take a 3D **Camera**  view to see the results.

To place a gate

1. To place a gate in your fence, select **Library Browser** .
2. Navigate to **Home Designer Core Catalogs > Architectural > Fences & Railings > Gates**.



3. Select an appropriate gate, and click to place it in the fencing.

4. You can then select the Gate and click on the **Open Object**  edit button to make changes to its Width, Hardware, Materials, etc.

208-292-3400 (tel:+1-208-292-3400) © 2003–2017 Chief Architect, Inc.

[Terms of Use \(https://www.chiefarchitect.com/company/terms.html\)](https://www.chiefarchitect.com/company/terms.html)

[Privacy Policy \(https://www.chiefarchitect.com/company/privacy.html\)](https://www.chiefarchitect.com/company/privacy.html)