

Importing a DWG or DXF File into Home Designer

Reference Number: **KB-03139**

Last Modified: **July 20, 2021**

The information in this article applies to:



QUESTION

I have a 2D DWG file that I'd like to import into Home Designer. How can I do this?



ANSWER


Use the Import Drawing Assistant to import 2D CAD or terrain/elevation information directly from a DWG or DXF file.

In [Chief Architect Premier](https://www.chiefarchitect.com/products/home-design/premier/) and [Chief Architect Interiors](https://www.chiefarchitect.com/products/interior-design/interiors/), certain 2D CAD components can be converted into walls, railings, windows, and doors. Please see [KB-00170: Using CAD to Walls from an Imported DWG/DXF](https://www.chiefarchitect.com/support/article/KB-00170/using-cad-to-walls-from-an-imported-dwg-dxf.html) to learn more.


If you're interested in upgrading to Chief Architect Premier or Chief Architect Interiors, please [contact our Sales team](https://www.chiefarchitect.com/company/contact.html).

To import a DWG or DXF file

1. Open Home Designer and create a **New Plan**  file.
2. Navigate to **File> Import> Import Drawing (DWG, DXF)** .
3. On the Welcome screen that displays, click **Next**.



4. On the Select File screen, click the **Browse** button, locate the DWG or DXF file that you want to import, then click **Open**. The selected file, including the file path, will now be listed in the assistant.



- If you want to convert lines with shared end points to polylines and/or boxes, check the appropriate boxes. Polylines are not affected by these settings, nor are lines that do not share end points.
- Choose how to handle CAD blocks. The **Import all CAD Blocks** option will import all CAD blocks associated with the file whether they are in use or not, while the **Only import CAD blocks if they are referenced in the drawing** option will reduce the volume of transferred data.

- Check **Import Hatch entities** if you want to import areas of hatching as solid-filled polylines.
 - Click **Next** to continue.
5. On the Select Layers screen, choose what layers you would like to import using the checkboxes located in the Layer Name column. If you would like to convert a layer contained in the DWG or DXF file into Elevation Data or a Terrain Perimeter, select the appropriate layer from the list, then use the **Convert Selected Layer(s) to** drop-down menu to choose either the **Elevation Data** or **Terrain Perimeter** option.

Click **Next** to proceed.

Import Drawing Assistant

Select Layers
Specify which layers to import and specify which contain terrain and elevation data.

Layer Name	Visible	Frozen	Convert To
<input checked="" type="checkbox"/> 0	✓		
<input checked="" type="checkbox"/> CAD	✓		
<input checked="" type="checkbox"/> DIMENSIONS	✓		
<input checked="" type="checkbox"/> RISERS	✓		
<input checked="" type="checkbox"/> STANDARD TEXT	✓		
<input checked="" type="checkbox"/> STRINGERS	✓		
<input checked="" type="checkbox"/> TREADS	✓		

Select All Clear All

Convert Selected Layer(s) to:

< Back **Next >** Cancel Help

Note: If an imported layer is converted to Elevation Data, any points and lines on that layer are converted to Elevation Points and Lines, and any elevation data associated with them is preserved.


- If any imported line has vertices with the same Z values, an Elevation Line is created.
- If the vertices have differing Z values, an Elevation Point is created for each vertex.
- Imported points are converted to Elevation Points.
- Other imported entities (solids, faces, etc.) are imported normally

To avoid unexpected results when importing a DWG or DXF file, only convert layers with elevation information to Elevation Data.


If a Terrain Perimeter does not exist in the plan, or if a layer in the DWG or DXF file is not converted to a Terrain Perimeter, a Terrain Perimeter is created around the extends of the Elevation Data when it's imported.

6. On the Drawing Unit screen, choose the unit of measurement that was used to create the DWG/DXF file,

choose how dimensions should be imported, then ensure that the **Move drawing to the Origin** box is checked.



7. Click **Next**, then click **Finish** to import the file into your plan.



- 📄 [Creating a Cross Section Detail \(/support/article/KB-00439/creating-a-cross-section-detail.html\)](/support/article/KB-00439/creating-a-cross-section-detail.html)
- 📄 [Importing and Tracing Over an Image of a Floor Plan \(/support/article/KB-00150/importing-and-tracing-over-an-image-of-a-floor-plan.html\)](/support/article/KB-00150/importing-and-tracing-over-an-image-of-a-floor-plan.html)
- 📄 [Locating and Importing 3D Symbols \(/support/article/KB-00888/locating-and-importing-3d-symbols.html\)](/support/article/KB-00888/locating-and-importing-3d-symbols.html)
- 📄 [Tracing Over an Imported File to Create a 3D Floorplan \(/support/article/KB-00018/tracing-over-an-imported-file-to-create-a-3d-floorplan.html\)](/support/article/KB-00018/tracing-over-an-imported-file-to-create-a-3d-floorplan.html)

© 2003–2021 Chief Architect, Inc. All rights reserved // [Terms of Use \(https://www.chiefarchitect.com/company/terms.html\)](https://www.chiefarchitect.com/company/terms.html) // [Privacy Policy](https://www.chiefarchitect.com/company/privacy.html)

<https://www.chiefarchitect.com/company/privacy.html>